Google scholar

| transforming source schema to target schema | Search | Advanced Scholar Search |

Scholar | Articles and patents | anytime | include citations | ☒ Create email alert Results **1 - 10** of about **18**. (**0.16** sec)

XML representation of hierarchical classification systems: from conceptual models to real applications.

[PDF] from nih.gov

S Hoelzer, RK Schweiger, R Liu, D Rudolf, ... - Proceedings of the ..., 2002 - ncbi.nlm.nih.gov
... As a consequence, we can use existing XML tools such as parsers and **transformation** engines
to ... A relational database is often used as a **source** to generate above mentioned electronic formats. ...
With our "XML **Schema** browser" the user is able to take any XML **schema** or **DTD** ...
Cited by 1 - Related articles - All 5 versions

Standardized Semantic Markup for Reference Terminologies, Thesauri and Coding Systems: Benefits for distributed E-Health Applications

R Liu, D Rudolf, J Rieger - 2005 - IOS Press
... **transformation** engines to process an XML **schema**. ... A relational database is often used as a **source**
to generate above mentioned electronic formats. ... Browsing the XML **Schema** With our "XML
Schema browser" the user is able to take any XML **schema** or **DTD** and to view and ...
Related articles

[PDF] Recommendations

[PDF] from dimdi.de

R Liu, D Rudolf, J Rieger, MD Joachim Dudeck - dimdi.de
... parsers and **transformation** engines to process an XML **schema**. ... into a parent. A relational
database is often used as a **source** to generate above mentioned electronic formats. ... With our
"XML **Schema** browser" the user is able to take any XML **schema** or **DTD** and to view and ...
Related articles - View as HTML - All 2 versions

[CITATION] Recommendations

S Hoelzer, R Liu, D Rudolf, J Rieger, J Dudeck
Related articles - All 2 versions

Standardized Semantic Markup for Reference Terminologies, Thesauri and Coding Systems: Benefits for distributed E-Health Applications

D Rudolf, JRJ Dudeck - Medical and care compunetics 2, 2005 - books.google.com
... A relational database is often used as a **source** to generate above mentioned electronic formats. ...
Our XML **schema** of the ICD-10 differs from the CEN ClaML standard in that way ... Nevertheless,
despite this additional granularity it is possible to **transform** our XML model into the ...
Related articles

[PDF] XML Representation of Hierarchical Classification Systems: From Conceptual Models to Real Applications

R Liu, D Rudolf, J Rieger - files.hplus.ch

... As a consequence, we can use existing XML tools such as parsers and **transformation** engines
to ... A relational database is often used as a **source** to generate above mentioned electronic formats. ...
With our "XML **Schema** browser" the user is able to take any XML **schema** or **DTD** ...

Related articles - All 2 versions

[HTML] from nih.gov

Transparent ICD and DRG coding using information technology: Linking and associating information sources with the extensible markup language

S Hoelzer, RK Schweiger, J Dudeck - Journal of the American ..., 2003 - jamia.bmj.com

... Depending on the specific requirements of an application, style sheets can **transform** and render
XML sources ... more closely the association is related to the **source**, the more relevant that **source**
is ... The XML **schema** provides data types that can be used to restrict and validate the ...

Cited by 3 - Related articles - All 14 versions

[PDF] from vcoss.org.au

[PDF] AND THE EXCHANGE OF HUMANLY USABLE DIGITAL CONTENT

RA Vines, JM Firestone - vcoss.org.au

... process, content is mapped between the **source** and destination **schemas**. ... In particular, the CGML
application provides a **transformation** system through which the digital elements expressed ...
reproduces the definitions and examples as given by each tagging **schema**. ...

Related articles - View as HTML - All 4 versions

[PDF] from kmci.org

[PDF] AND THE EXCHANGE OF HUMANLY USABLE DIGITAL CONTENT ACROSS A GLOBAL ECONOMY

RA Vines, JM Firestone - kmci.org

... process, content is mapped between the **source** and destination **schemas**. ... In particular, the CGML
application provides a **transformation** system through which the digital elements expressed ...
reproduces the definitions and examples as given by each tagging **schema**. ...

Related articles - View as HTML - All 3 versions

[PDF] from psu.edu

Mark-up driven strategies for text-to-hypertext conversion

A Storrer - Linguistic Modeling of Information and Markup ..., 2010 - Springer

... and can be validated against its corresponding document grammar (**DTD** or **schema** file ... On this
basis we implemented four basic operations that **transform** the paragraphs of sequential ... a link,
he further differen- tiates between one-to-one-links, which connect a **source** anchor to ...

Cited by 3 - Related articles - All 7 versions

✉ Create email alert

Google ▶

Result Page: 1 2 **Next**

transforming source schema to targ[+]   Search

Go to Google Home - About Google - About Google Scholar

©2010 Google